Atty. Dkt. No. 10014506-1 RECEIVED

CENTRAL FAX CENTER

AUG 3 0 2007

#### **CLAIM AMENDMENTS**

This listing of claims will replace all prior versions, and listings, of claims in the application.

ì 1. (previously presented) A method of file access control comprising: 2 storing an encrypted filename of a file at a location in a computing system; 3 converting the encrypted filename into a plaintext filename; 4 modifying the plaintext filename into a modified filename; and 5 authorizing an entity to access the file for performing a write operation on 6 the file by comparing the modified filename to the stored encrypted 7 filename. 1 2. (previously presented) The method according to claim 1, wherein said 2 converting comprises using a key that comprises a combination of two 3 encryption keys to convert the encrypted filename into the plaintext filename. 3. (original) The method according to claim 2, wherein said modifying comprises using a first one of the two encryption keys to encrypt the 2 3 plaintext filename into the modified filename. (original) The method according to claim 3, wherein said authorizing 1 4. 2 comprises using the second one of the two encryption keys to encrypt the 3 modified filename to form a result and determining whether the result matches the encrypted filename. 1 5. (original) The method according to claim 2, wherein said modifying 2 comprises using a first one of the two encryption keys to encrypt the plaintext filename and performing a hash function on the filename thereby 3 forming the modified filename.

1	6.	(original) The method according to claim 5, wherein said authorizing
2		comprises comparing the modified filename to a stored hash value.
1	7.	(original) The method according to claim 1, wherein said encrypted
2		filename is encrypted using a first key prior to said storing and further
<i>3</i>		comprising storing a second encrypted filename of the file at the location
5		wherein the second encrypted filename is encrypted using a second key prior to said storing.
1	8.	(original) The method according to claim 7, wherein said converting
2		comprises using the first key to convert the encrypted filename into the plaintext filename.
1	9.	(original) The method according to claim 8, wherein said modifying
<b>2</b> <b>3</b>		comprises using the second key to encrypt the plaintext filename into the modified filename.
1	10.	(original) The method according to claim 9, wherein said authorizing
2 3		comprises comparing the modified filename to the second encrypted filename.
1	11.	(original) The method according to claim 10, wherein said modifying
2		further comprises performing a hash function on the filename after using
3		the second key to encrypt the plaintext filename.
1	12.	(previously presented) The method according to claim 1, wherein the
2		plaintext filename permits read access to the file.
l	13.	(original) The method according to claim 1, wherein said storing
2		comprises substituting said encrypted filename into a directory structure at
		the location in place of the plaintext filename.
:	14.	(original) The method according to claim 1, further comprising encrypting data of the file.

15.	(previously presented) An apparatus for controlling access to a file,
	comprising:
	a server for the storing an encrypted filename associated with a
	file; and
	a client in communication with the server for retrieving the
	encrypted filename from the server, for converting the encrypted
	filename into a plaintext filename and for modifying the plaintext
	filename into a modified filename,
	wherein the client provides the modified filename to the server and
•	wherein the server determines whether the client is authorized to perform a
	write operation on the file by comparing the modified filename received
	from the client to the stored encrypted filename.
16.	(previously presented) The apparatus according to claim 15, wherein the
	plaintext filename permits read access to the file.
17.	(previously presented) The apparatus according to claim 15, wherein said
	client converts the encrypted filename into the plaintext filename using a
	key that comprises a combination of two encryption keys.
18.	(original) The apparatus according to claim 17, wherein said client forms
	the modified filename using a first one of the two encryption keys to
	encrypt the plaintext filename.
19.	(previously presented) The apparatus according to claim 18, wherein said
	server determines whether the client is authorized to perform the write
	operation on the file by using the second one of the two encryption keys to
	encrypt the modified filename to form a result and determines whether the
	result matches the encrypted filename provided by the client.
20.	(previously presented) The apparatus according to claim 17, wherein said
	client forms the modified filename using a first one of the two encryption
	16. 17. 18.

3		keys to encrypt the plaintext filename and performs a hash function on t
4		filename thereby forming the modified filename.
1	21.	(previously presented) The apparatus according to claim 17, wherein sai
2		server performs a hash function on the filename to form a result and
3		determines whether the client is authorized to perform the read operation
4		on the file by comparing the result to a stored hash value.
1	22,	(original) The apparatus according to claim 17, wherein said client form
2		the modified filename using a first one of the two encryption keys to
3	,	encrypt the plaintext filename and performs a hash function on the
4		filename to form a result and wherein the server determines whether the
5		client is authorized to perform the type of operation on the file by
6		comparing the result to a stored hash value.
1	23.	(original) The apparatus according to claim 15, wherein the encrypted
2		filename is encrypted using a first key and wherein the server stores a
3		second encrypted filename wherein the second encrypted filename is
<b>4</b> .		encrypted using a second key.
1	24.	(original) The apparatus according to claim 23, wherein the client
2		converts the encrypted filename into the plaintext filename using the first
3		key and modifies the plaintext filename into the modified filename using
4		the second key.
1	25.	(currently amended) The apparatus according to claim 24, wherein the
2		server determines whether the client is authorized to perform the write
3		[[of]] operation on the file by comparing the modified filename to the
1		second encrypted filename.
	26.	(original) The apparatus according to claim 25, wherein the server
2		performs a hash function on the filename after the client uses the second
3		key to modify the filoname.

Fax:408-293-9031

12:42

1	27.	(original) The apparatus according to claim 25, wherein the client
2		performs a hash function on the filename after using the second key to
3		modify the filename.
1	28.	(canceled)
1	29.	(canceled)
1	30.	(currently amended) The apparatus according to claim 29, An apparatus
2		for controlling access to a file comprising a server having a stored
3		encrypted filename of a file, the server being in communication with a
4		writer and a reader, the writer being a client of the server and having a firs
5		key that permits the writer to write to the file and the reader being another
6		client of the server and having a combination key that comprises a
7		combination of the first key and a second key wherein the stored encrypted
8		filename is obtained by encrypting a filename of the file using the
9		combination key and the combination key permits the reader to read the
10		file and further wherein the server determines that the writer is authorized
11		to write to the file by receiving from the writer the filename encrypted
12		using the first key, encrypting the received filename again using the
13		second key thereby forming a twice encrypted filename and comparing the
14		twice encrypted filename to the stored encrypted filename.
1	31.	(currently amended) The apparatus according to claim 29, An apparatus
2		for controlling access to a file comprising a server having a stored
3		encrypted filename of a file, the server being in communication with a
4		writer and a reader, the writer being a client of the server and having a first
5	e .	key that permits the writer to write to the file and the reader being another
6		client of the server and having a combination key that comprises a
7		combination of the first key and a second key wherein the stored encrypted
8		filename is obtained by encrypting a filename of the file using the
9		combination key and the combination key permits the reader to read the
10		file and further wherein the server determines that the writer is authorized
11		to write to the file by receiving from the writer the filename encrypted

12		using the first key, applying a hash function to the received filename
13		thereby forming a computed hash value and comparing the computed has
14		value to a stored hash value.
1	32.	(previously presented) An apparatus for controlling access to a file
2		comprising a server having a first stored encrypted filename of the file and
3		a second stored encrypted filename of the file, the server being in
4 .		communication with a writer and a reader, the writer being a client of the
5		server and having a first key that permits the writer to write to the file and
6		the server determining whether the writer is authorized to write to the file
7		by receiving from the writer the filename encrypted using the second key
8		and comparing the received filename to the second stored encrypted
9		filename and the reader being another client of the server and having a
10		second key that permits the reader to read the file.
1	33.	(original) The apparatus according to claim 32, wherein the reader
2		decrypts the first stored encrypted filename using the first key.
1	34.	(canceled)
1	35.	(previously presented) The apparatus according to claim 32, wherein the
2		server performs a hash function on the received filename before comparing
3		the received filename to the second stored encrypted filename.
1	36.	(previously presented) The method according to claim 2, further
2		comprising:
3		encrypting the plaintext filename using a key that comprises a
4	·	combination of two encryption keys; and
5		comparing a result of this encrypting to the stored encrypted filename
6		to determine whether to permit read access to the file.
1	37.	(previously presented) The method according to claim 36, wherein said
2		modifying comprises using a first one of the two encryption keys to
3		encrypt the plaintext filename into the modified filename

1	38.	(previously presented) The apparatus according to claim 15, wherein the
2		client encrypts the plaintext filename and the server compares the
3		encrypted plaintext filename to its stored encrypted filename to determine
4		whether to permit read access to the file.
1	39.	(previously presented) The apparatus according to claim 38, wherein the
2		client encrypts the plaintext filename to form the encrypted plaintext
3		filename using a key that comprises a combination of two encryption keys
4		and the client encrypts the plaintext filename to form the modified
5		filename using a first one of the two encryption keys.